Circle **25** on Reader Service Card



Avoid breakdowns— double chain life with

Oil-Rite AUTOMATIC CHAIN OILERS

- **BRUSH OILERS** most effective and offer reliable method of chain oiling.
- **CUT CHAIN WEAR,** stretch, friction and corrosion.
- **ANY BRUSH** to suit your chain, including Roto-Brush.
- **CHOICE** of 4 principal methods of chain lubrication.

ELECTRO CHAIN OILERS feed oil automatically whenever chain moves. Solenoid and sight feed valve start and stop with drive motor. Oil flows by gravity to brush which rides the chain —flexible bristles of brush follow contour of moving chain, oiling as well as cleaning it.

WRITE FOR THIS FREE BULLETIN...
Get technical data on Oil-Rite's complete line of automatic and manual chain oilers.

INDUSTRIAL LUBRICATING EQUIPMENT

Oil-Rite CORPORATION
2829 WALDO BLVD. • MANITOWOC, WISCONSIN

P·P·T *THE PACKAGED* **Power Terminal**

SAVES cost, space, weight



Motor, helical reduction gearing, backstop, headshaft, and headshaft bearings are all in one package. No complicated engineering layout is necessary. Four foundation bolts attach P.P.T. to conveyor frame.

Steel fabricated pulley rotates around dead shaft which is clamped to restrain torque. Motor and gearing support pulley.

P.P.T. provides belt speeds between 50 and 700 fpm. It's easy to change speeds with stock gears. Capacities are ¾ to 50 hp. Write for illustrated bulletin.

CHRISTIAN manufacturing engineers

WORLD TRADE CENTER • SAN FRANCISCO 11, CALIFORNIA

Circle **6** on Reader Service Card

Subject index in POWER

	ISSUE	PAGE
ADJUSTABLE-SPEED DRIVES		
Disk planets drive speed reducer	Feb	10
Bridge-coupled rotors	Apr	35
Variable-speed drives replace gears in textile machine	Aug	12
Centerless grinders have variable-speed regulating wheels	Aug	32
Adjustable-speed drive runs 200-ton press	Aug	35
Slip coupling gives adjustable speed	Sep	39
Seven steps to a new drive for an old operation	Oct	31
Laminating process needs accurate speed control	Oct	39
Put another design engineer on your staff	Oct	41
Larger drives for constant power at any speed	Nov	25
Drives and bearings at Textile Hall	Dec	20
BALL SCREWS		
Missile dolly	Apr	10
Ball-screw speed-reducer	Apr	14
Heavy-duty ball screws	Apr	14
Ball-screw body jacks	Apr	16
Ball screws power the newest slides	Aug	27
BEARINGS		
Prevent bearing failure by proper installation	Feb	45
A guide to design and application of tapered roller bearings	Feb	49
Materials for hot-running bearings	Feb	53
Special bearings simplify gyroscope	Mar	43
Lubrication of roller bearings	Mar	45
Easy greasing for roller bearings	Mar	47
Long-lived pillow blocks	Mar	48
Hybrid sintered alloy	Apr	19
How a computer helps to design sleeve bearings	Apr	56
Why hydrodynamic bearings were selected for high speeds and high temperatures	May	55
Where will you use gas bearings?	Jun	33
Self-lube bearings reduce maintenance	Jun	36
Materials for bearings	Jul	35
What is happening to bearing ratings?	Aug	39
Design of plain bearings	Aug	47
Ball bearings give no-leak drive in NASA design	Aug	50
Know your linear bearings for straight motion control	Sep	55
Asbestos-TFE bushings save coupling's life	Sep	60
Hot water and steam ruined the old bearings	Oct	36
Bearing design to tolerate dirt	Oct	49
Abrasive dust ruined the old bearings	Oct	51
Why and how you lubricate bearings	Nov	41
There may be more than one reason to use a bearing	Dec	43
Self-lubricating bearings—how to choose and use them: Part 1—Sintered bearings	Dec	44
BELT DRIVES		
Drives in an airborne camera	Mar	24
A page in 15 seconds	Mar	29
Futurama II: Drives designed for better-than-standard quiet synchronization	Jun	17
Multiple fingers and rocking sheaves make belts conform to tubes	Oct	8
V-belts are safer	Nov	28

Circle **25** on Reader Service Card



Avoid breakdowns— double chain life with

Oil-Rite AUTOMATIC CHAIN OILERS

- **BRUSH OILERS** most effective and offer reliable method of chain oiling.
- **CUT CHAIN WEAR,** stretch, friction and corrosion.
- **ANY BRUSH** to suit your chain, including Roto-Brush.
- **CHOICE** of 4 principal methods of chain lubrication.

ELECTRO CHAIN OILERS feed oil automatically whenever chain moves. Solenoid and sight feed valve start and stop with drive motor. Oil flows by gravity to brush which rides the chain —flexible bristles of brush follow contour of moving chain, oiling as well as cleaning it.

WRITE FOR THIS FREE BULLETIN...
Get technical data on Oil-Rite's complete line of automatic and manual chain oilers.

INDUSTRIAL LUBRICATING EQUIPMENT

Oil-Rite CORPORATION
2829 WALDO BLVD. • MANITOWOC, WISCONSIN

P·P·T *THE PACKAGED* **Power Terminal**

SAVES cost, space, weight



Motor, helical reduction gearing, backstop, headshaft, and headshaft bearings are all in one package. No complicated engineering layout is necessary. Four foundation bolts attach P.P.T. to conveyor frame.

Steel fabricated pulley rotates around dead shaft which is clamped to restrain torque. Motor and gearing support pulley.

P.P.T. provides belt speeds between 50 and 700 fpm. It's easy to change speeds with stock gears. Capacities are ¾ to 50 hp. Write for illustrated bulletin.

CHRISTIAN manufacturing engineers

WORLD TRADE CENTER • SAN FRANCISCO 11, CALIFORNIA

Circle **6** on Reader Service Card

Subject index in POWER

	ISSUE	PAGE
ADJUSTABLE-SPEED DRIVES		
Disk planets drive speed reducer	Feb	10
Bridge-coupled rotors	Apr	35
Variable-speed drives replace gears in textile machine	Aug	12
Centerless grinders have variable-speed regulating wheels	Aug	32
Adjustable-speed drive runs 200-ton press	Aug	35
Slip coupling gives adjustable speed	Sep	39
Seven steps to a new drive for an old operation	Oct	31
Laminating process needs accurate speed control	Oct	39
Put another design engineer on your staff	Oct	41
Larger drives for constant power at any speed	Nov	25
Drives and bearings at Textile Hall	Dec	20
BALL SCREWS		
Missile dolly	Apr	10
Ball-screw speed-reducer	Apr	14
Heavy-duty ball screws	Apr	14
Ball-screw body jacks	Apr	16
Ball screws power the newest slides	Aug	27
BEARINGS		
Prevent bearing failure by proper installation	Feb	45
A guide to design and application of tapered roller bearings	Feb	49
Materials for hot-running bearings	Feb	53
Special bearings simplify gyroscope	Mar	43
Lubrication of roller bearings	Mar	45
Easy greasing for roller bearings	Mar	47
Long-lived pillow blocks	Mar	48
Hybrid sintered alloy	Apr	19
How a computer helps to design sleeve bearings	Apr	56
Why hydrodynamic bearings were selected for high speeds and high temperatures	May	55
Where will you use gas bearings?	Jun	33
Self-lube bearings reduce maintenance	Jun	36
Materials for bearings	Jul	35
What is happening to bearing ratings?	Aug	39
Design of plain bearings	Aug	47
Ball bearings give no-leak drive in NASA design	Aug	50
Know your linear bearings for straight motion control	Sep	55
Asbestos-TFE bushings save coupling's life	Sep	60
Hot water and steam ruined the old bearings	Oct	36
Bearing design to tolerate dirt	Oct	49
Abrasive dust ruined the old bearings	Oct	51
Why and how you lubricate bearings	Nov	41
There may be more than one reason to use a bearing	Dec	43
Self-lubricating bearings—how to choose and use them: Part 1—Sintered bearings	Dec	44
BELT DRIVES		
Drives in an airborne camera	Mar	24
A page in 15 seconds	Mar	29
Futurama II: Drives designed for better-than-standard quiet synchronization	Jun	17
Multiple fingers and rocking sheaves make belts conform to tubes	Oct	8
V-belts are safer	Nov	28

# of 1964 articles TRANSMISSION DESIGN

	ISSUE	PAGE
Belts replace gears in headstock drive	Nov	32
Drives and bearings at Textile Hall	Dec	20
Plug-in farm machinery	Dec	35
Drives are expendable	Dec	40
BRAKES AND CLUTCHES		
Drive requirements for tracked vehicles	Feb	27
Must there be so many small drives?	Mar	22
An office collator demands synchronized drives	Mar	22
Drives in an airborne camera	Mar	24
Computers can't do away with mechanical drives	Mar	27
A page in 15 seconds	Mar	29
Reciprocating to linear motion	Apr	26
Flywheel starter	Apr	26
How safe are your drives?	May	43
Construction equipment needs rugged clutches	Jun	15
Futurama II: Drives designed for better-than-standard quiet synchronization	Jun	17
How do you decide which material to use?	Jul	25
Positioning is easy with an overrunning clutch	Aug	30
Each component in the right place	Oct	34
Redesign eliminates old line shaft	Oct	34
No standard drive would do the job	Oct	37
Belts replace gears in headstock drive	Nov	32
Rocket winder uses multi-speed drives to synchronize motions in three directions	Nov	33
Air clutch interlocks two operations	Nov	35
Drives and bearings at Textile Hall	Dec	20
How to waste power—efficiently	Dec	38
CHAIN DRIVES		
How do you decide which material to use?	Jul	25
Centerless grinders have variable-speed regulating wheels	Aug	32
Each component in the right place	Oct	34
FLEXIBLE COUPLINGS, FLEXIBLE SHAFTS, AND UNIVERSAL JOINTS		
Stainless-steel shaft operates meter in hot cat-cracking tower	Feb	14
Flexible shafts drive controls to accurate positions	Feb	39
Nine-bar coupling	Mar	6
Two universal-joint-type couplings	Apr	30
Seven steps to a new drive for an old operation	Oct	31
Drives and bearings at Textile Hall	Dec	20
Plug-in farm machinery	Dec	35
GEAR DRIVES AND GEARMOTORS		
Tooth form—are you using the latest standard?	Feb	31
How to inspect gears	Feb	40
Must there be so many small drives?	Mar	22
Drives in an airborne camera	Mar	24
A module that can be stacked	Mar	25
For cheap inflated belts try tires	Apr	33
How safe are your drives?	May	43
Original shaft-mounted reducers are still in harness	Jun	14
Futurama II: Drives designed for better-than-standard quiet synchronization	Jun	17

Circle **5** on Reader Service Card

End costly machining with . . .

NEW Browning IDLER BUSHINGS
in Stock Sheaves, Pulleys and Sprockets

Why make your own idlers? . . . it's no longer necessary! Users report substantial savings with these new idler bushings, which assemble easily into idler unit, chain tensioner or belt tensioner, using any of these stock Browning products:

SHEAVES: FHP, Multiple Groove, "358", Poly-V
SPROCKETS: Single, Double, Triple
GEARBELT PULLEYS • PAPER PULLEYS

Browning idler bushings are furnished with ball bearings, and with cap screws, stud bolt and nuts for mounting. Complete, ready to install. Your Browning Distributor will gladly supply details and copy of descriptive Bulletin 4372. Or write direct to **Browning Manufacturing Company, Maysville, Kentucky.**

Browning POWER TRANSMISSION EQUIPMENT FOR OVER 75 YEARS

FOR PROMPT DEPENDABLE SERVICE CONSULT YOUR BROWNING DISTRIBUTOR

HORTON

6 clutches 1/10 to 50 h.p. | 4 high speed clutches 5 - 50 h.p. to 3600 rpm | 4 clutch-brakes ½ to 25 h.p.

4 diaphragm brakes 10-5000 in. lbs. torque | 4 stopping brakes to 4300 in. lbs. torque | "Air-Champ"

AIR CLUTCHES — AIR BRAKES

Horton offers a FULL LINE of 22 models of air operated industrial clutch-sheaves and brakes. Dependable, precision, trouble-free products for every type installation. Write for free information, specifications, literature.

HORTON MANUFACTURING CO., INC.
1179 15th Ave. S.E., Minneapolis 14, Minn.

HORTON

Circle **19** on Reader Service Card

Circle **14** on Reader Service Card



DYNA® GEARMOTORS

CUSTOM BUILT to Your Specifications

• 1/20-15 H.P. • Right angle or parallel

This right angle gearmotor made with shaft down and flange mount with mounting supports under field ring and with a magnetic brake was specially designed by DYNA® engineers for a punch press. It's a 3 H.P. 220/440 volt, 60 cycle, 3 phase 1125/110 R.P.M. gearmotor. High torque 5-8% slip, 30 min. 50° C duty with thermal overload protection; special tang extension through brake. Single reduction—10.25:1 ratio. This is only one of many types DYNA® makes to meet special O.E.M. specifications.

DYNA® makes available to you the accumulated know-how of more than a THIRD OF A CENTURY of gearmotor manufacturing. Combined with the precision cut gears of The National Gear Corporation—a DYNA® subsidiary—DYNA® offers you gearmotors of extensive flexibility and DEPENDABILITY. Tell us what you want in custom gearmotors. We will submit quotations for quantities wanted.

STANDARD GEARMOTORS IN STOCK.

Write for bulletin 8000

Custom-built motors—our specialty.

DYNA® CORPORATION

Dept. PT1264, Dayton, Ohio 45401 U.S.A.

TOL-AIR-CYLINDER

- COMPACT— SAVES SPACE— CYLINDER AND STROKE CONDENSED TO LENGTH OF CYLINDER
- EASY MAINTENANCE
- REMOTE OR AUTOMATIC
- PRECISION COMPONENTS



FLOAT-A-SHAFT



- INFINITELY ADJUSTABLE
- SIMPLE INSTALLATION
- HIGH HORSEPOWER
- LIGHT WEIGHT
- HIGH TORQUE
- COMPACT
- EASY TO MAINTAIN

TOL-AIR-CLUTCH

- RUGGED PRECISION CONSTRUCTION
- FAST RESPONSE
- HEAVY DUTY
- COMPACT
- HIGH TORQUE
- NO ADAPTION REQUIRED
- EXPLOSION PROOF

Tol-O-Matic, Inc.

246 Tenth Avenue South • Minneapolis 15, Minn

Circle **31** on Reader Service Card

SUBJECT INDEX

GEAR DRIVES And GEARMOTORS, continued

	ISSUE	PAGE
Selection guide for shaft-mounted reducers	Jun	21
How do you decide which material to use?	Jul	25
Centerless grinders have variable-speed regulating wheels	Aug	32
Designing coupled planetaries	Sep	50
Worm drive oscillates brush as it rotates	Oct	8
Four independent drives propel BARC on land: they combine to make two in water	Oct	12
Seven steps to a new drive for an old operation	Oct	31
Each component in the right place	Oct	34
No standard drive would do the job	Oct	37
Gearshift motors drive 12-speed saws	Nov	31
Belts replace gears in headstock drive	Nov	32
Why use a double differential?	Nov	37
Drives and bearings at Textile Hall	Dec	20
A selection guide for flexible couplings	Dec	29
Plug-in farm machinery	Dec	35

ENGINES AND MOTORS

A motor to slow it down?	Feb	32
PTD looks at the works of a fork lift	Feb	43
Must there be so many small drives?	Mar	22
An office collator demands synchronized drives	Mar	22
Drives in an airborne camera	Mar	24
New materials pave the way for smaller motors	Jun	10
Four independent drives propel BARC on land: they combine to make two in water	Oct	12
Each component in the right place	Oct	34
Redesign eliminates old line shaft	Oct	34
No standard drive would do the job	Oct	37
A selection guide for flexible couplings	Dec	29
How to waste power—efficiently	Dec	38

LUBRICANTS AND LUBRICATING SYSTEMS

How safe are your drives?	May	43
Lube system keeps adjustment working	Aug	12
Solid lubricant takes high loads	Oct	52

PACKAGED TRANSMISSIONS

Drive requirements for tracked vehicles	Feb	27
PTD looks at the works of a fork lift	Feb	43
Rubber-tired tractor matches torque to job with aid of eight-speed geartrain	Sep	30
Hydrodifferential	Sep	41
Drivewheel package fits many vehicles	Sep	42
Four independent drives propel BARC on land: They combine to make two in water	Oct	12
Gearshift motors drive 12-speed saws	Nov	31
Belts replace gears in headstock drive	Nov	32
Rocket winder uses multi-speed drives to synchronize motions in three directions	Nov	33
How to waste power—efficiently	Dec	38

A COURSE IN MECHANICS FOR DRIVE DESIGN

Acceleration	Feb	34
Equivalent mechanisms	Mar	35
Friction	Apr	60
Moment of inertia	May	48
Inertia forces	Jun	29
Balancing	Jul	49
Load analysis	Aug	42
Deflection analysis	Sep	46
Stress analysis	Oct	42

PTD